

ARDITA | 0937 S3 HRO SRC



0937 S3 HRO SRC

Product code 0937

EN Standard EN ISO 20345:2011

Category of Protection

Slip Resistance SRC

Mondopoint

Packaging

Size range

38-48

Weight (1 Shoe in size 42) 800 Gr.

MOQ Minimum Ord **Required**

Technical Specifications



ARCH SUPPORT



























MATERIALS & COMPONENTS



Genuine leather characterized by the flawless thick weft finish (Dollar print) that results particularly flexible and elastic thanks to the different processing stages.









Anatomical insole that adapts perfectly to the natural conformation of the sole of the foot; it is antibacterial, antifungal and has a shock-absorbing wedge in the heel area.



Made of multilayer polyester fabric, this type of foil is 40% lighter than its steel equivalent, while providing the same resistance to penetration force, namely up to 1.100 Newtons (N). It is flexible, light, non-magnetic, athermic, anti-cornosive and nonallequenic and protects 100% of the surface of the foot.





A sole specifically developed to operate in total safety even in extreme working and/or climatic conditions. The midsole is made of low-density polyurethane foam while the tread is made of WIBRAM TC4+ intriller ubber. In the black version, it ensures maximum anti-slip functionality even on icy surfaces; the HRO sole, the red one, guarantees heat resistance by contact up to 300° and up to 1 minute while the tilectric sole, the grey one, is capable of avoiding the passage of any electric shock through the wearer's body.



